



BALL CORPORATION - ZEPHYR WIND PROJECT 1.0

North Findlay Wind Campus, Findlay, OH

Monthly Report

June-2021




A. Site Energy Production Summary*

	Energy Production (kWh)				
	Site		By Turbine		
	P50 (Expected Production)	Actual Production	Z1	Z2	Z3
Jun-20	628,000	745,225	255,090	244,089	246,046
Jul-20	571,000	463,808	161,712	150,497	151,599
Aug-20	559,000	415,856	150,588	137,019	128,249
Sep-20	482,000	686,455	244,046	228,724	213,685
Oct-20	916,000	853,114	301,587	287,867	263,660
Nov-20	1,203,000	1,333,905	455,233	450,343	428,329
Dec-20	1,475,000	1,298,566	447,593	437,476	413,497
Jan-21	1,260,000	763,428	269,281	243,111	251,036
Feb-21	1,310,000	1,112,551	384,385	376,283	351,883
Mar-21	1,140,000	1,328,761	439,843	458,260	430,658
Apr-21	1,359,000	930,702	327,011	316,411	287,280
May-21	856,000	723,486	251,234	238,571	233,681
Jun-21	599,000	668,103	237,234	223,304	207,565
Production 2021 (ytd) (kWh)	6,524,000	5,527,031	1,908,988	1,855,940	1,762,103
Total Production (kWh)*	11,730,000	10,578,735	3,669,747	3,547,866	3,361,122
Capacity Factor*	26.84% *Value calculated over the last 12 months				

B. Site Energy Production Graph

June-2021



C. Safety Summary

	This Month	Project Cumulative
Recordable Incident(s)	0	0
First Aid	0	0

D. Planned Maintenance Events

Date	Event	Duration (hr)	Turbine
October-2021	Goldwind 5.5 Year Maintenance	~8	Z1
October-2021	Goldwind 5.5 Year Maintenance	~8	Z2
October-2021	Goldwind 5.5 Year Maintenance	~8	Z3

E. Actual Maintenance Events

Date	Event	Planned/Unplanned	Duration (hrs)	Turbine
------	-------	-------------------	----------------	---------

F. Turbine Availability & Downtime**

Availability	This Month	Year To Date
Z1	100.00%	98.51%
Z2	100.00%	99.24%
Z3	100.00%	99.87%
Avg	100.00%	99.21%

Downtime (hr)	This Month	Year To Date
Z1	1.47	111.10
Z2	1.47	88.13
Z3	1.47	71.29
Total	4.41	270.52

G. Billed Data

Meter Reading (Date/Time)	6/18/2021 12:00 AM
Ball 1.0 Production (This Period)	595,171 kWh
Ball 1.0 Consumption (This Period)	1,047 kWh
Billed kWh	594,124 kWh
Next Meter Reading	7/20/2021 12:00 AM

H. Report Notes and Comments

*Change in production estimate due to Material Change in Circumstance.
**March downtime and availability under further review.